

Federal Operating Permit Article 1

This permit is based upon the requirements of Title V of the Federal Clean Air Act and Chapter 80, Article 1 of the Commonwealth of Virginia Regulations for the Control and Abatement of Air Pollution. Until such time as this permit is reopened and revised, modified, revoked, terminated or expires, the permittee is authorized to operate in accordance with the terms and conditions contained herein. This permit is issued under the authority of Title 10.1, Chapter 13, §10.1-1322 of the Air Pollution Control Law of Virginia. This permit is issued consistent with the Administrative Process Act, and 9 VAC 5-80-50 through 9 VAC 5-80-300 of the State Air Pollution Control Board Regulations for the Control and Abatement of Air Pollution of the Commonwealth of Virginia.

Authorization to operate a Stationary Source of Air Pollution as described in this permit is hereby granted to:

Permittee Name:	Team/IBS, Inc.
Facility Name:	Team/IBS, Inc.
Facility Location:	326 McGhee Road Winchester, Frederick County, Virginia
Registration Number:	81111
Permit Number:	VRO81111

January 19, 2004

Effective Date

January 19, 2009

Expiration Date

R. Bradley Chewning

for Director, Department of Environmental Quality

January 7, 2004

Signature Date

Table of Contents

I. FACILITY INFORMATION	3
II. EMISSION UNITS	4
III. PROCESS EQUIPMENT REQUIREMENTS – EPS PRODUCTION (EU1)	5
A. LIMITATIONS	5
B. MONITORING AND RECORDKEEPING.....	5
C. TESTING.....	6
D. REPORTING.....	6
IV. INSIGNIFICANT EMISSION UNITS	8
V. PERMIT SHIELD & INAPPLICABLE REQUIREMENTS	9
VI. GENERAL CONDITIONS.....	10
A. FEDERAL ENFORCEABILITY	10
B. PERMIT EXPIRATION.....	10
C. RECORDKEEPING AND REPORTING	11
D. ANNUAL COMPLIANCE CERTIFICATION	12
E. PERMIT DEVIATION REPORTING	13
F. FAILURE/MALFUNCTION REPORTING	13
G. SEVERABILITY	13
H. DUTY TO COMPLY	13
I. NEED TO HALT OR REDUCE ACTIVITY NOT A DEFENSE	13
J. PERMIT MODIFICATION	14
K. PROPERTY RIGHTS.....	14
L. DUTY TO SUBMIT INFORMATION	14
M. DUTY TO PAY PERMIT FEES	14
N. FUGITIVE DUST EMISSION STANDARDS	14
O. STARTUP, SHUTDOWN, AND MALFUNCTION.....	15
P. ALTERNATIVE OPERATING SCENARIOS	15
Q. INSPECTION AND ENTRY REQUIREMENTS	15
R. REOPENING FOR CAUSE.....	16
S. PERMIT AVAILABILITY	16
T. TRANSFER OF PERMITS	17
U. MALFUNCTION AS AN AFFIRMATIVE DEFENSE	17
V. PERMIT REVOCATION OR TERMINATION FOR CAUSE	18
W. DUTY TO SUPPLEMENT OR CORRECT APPLICATION	18
X. STRATOSPHERIC OZONE PROTECTION	18
Y. ACCIDENTAL RELEASE PREVENTION	18
Z. CHANGES TO PERMITS FOR EMISSIONS TRADING	19
AA. EMISSIONS TRADING.....	19

I. Facility Information

Permittee

Team/IBS, Inc.
326 McGhee Road
Winchester, Virginia 22603

Responsible Official

Michael Terpak
President

Facility

Team/IBS, Inc.
326 McGhee Road
Winchester, Virginia 22603

Contact Person

Michael Terpak
President
(540) 662-0882

AFS Identification Number: 51-069-0101

Facility Description: 3086 – Manufacture of foamed plastic insulation board

Team/IBS, Inc. manufactures molded foam boards for insulation. The boards are made of expandable polystyrene beads. Polystyrene beads are placed in a pre-expander where the beads are steam heated and expand due to the pentane blowing agent in the beads. After expansion the beads are transferred to a fluidized bed dryer where excess steam is removed with hot air. Beads are placed in storage silos, and from storage are molded into blocks. The blocks are then cut into different board shapes. Some of the cut material is laminated to other materials. Pollution sources at the facility include the pentane blowing agent which is lost throughout the process, and organic solvent evaporation from molding binders and adhesives used in the lamination process.

II. Emission Units

Equipment to be operated consists of:

Emission Unit ID	Stack ID	Emission Unit Description	Size/Rated Capacity ²	Pollution Control Device Description (PCD)	PCD ID	Pollutant Controlled	Applicable Permit Date
Expandable Polystyrene (EPS) Production - Identified in permit application as emission units PE-1, EBS-1, M-1, HB-1.							
EU1	S2	pre-expander Dingledein Model VA-K-2000 (1989)	3000 lbs/hr	---	---	---	6/21/1989 ¹
	V1 & V2	bead storage Custom Storage Bins (1989)	3000 lbs/hr	---	---	---	6/21/1989 ¹
	S3	molding machine Wieser Molding Machine (1989)	3000 lbs/hr	---	---	---	6/21/1989 ¹
	S4-S10	7 Hot Boxes (1989)	28 parts/hr	---	---	---	6/21/1989 ¹

¹ The Minor New Source Review Permit was issued on 6/21/89 and amended on 8/5/91 and 12/30/98.

² The Size/Rated capacity is provided for informational purposes only, and is not an applicable requirement.

III. Process Equipment Requirements – EPS Production (EU1)

A. Limitations

1. Volatile Organic Compounds emissions from the operation of EU1 shall not exceed 240 tons per year calculated monthly as the sum of each consecutive twelve (12) month period.
(9 VAC 5-80-110, and Part I. Condition 6 of June 21, 1989 Permit¹)
2. The pre-expander/dryer shall process no more than 4800 tons of polystyrene bead per year, calculated as the sum of each consecutive twelve (12) month period.
(9 VAC 5-80-110, and Part I. Condition 4 of June 21, 1989 Permit¹)
3. The pre-expander/dryer shall not operate more than 4800 hours per year, calculated as the sum of each consecutive twelve (12) month period.
(9 VAC 5-80-110, and Part I. Condition 5 of June 21, 1989 Permit¹)

B. Monitoring and Recordkeeping

1. The permittee shall perform the following monitoring and recordkeeping:
 - a. Monthly and annual records of the amount in pounds and weight percent VOC content of each individual lot of bead used. Annual records shall be calculated monthly as the sum of each consecutive 12 month period.
 - b. Bead supplier MSDS sheet or VOC data sheet showing bead VOC content for each lot of bead used.
 - c. Department approved retention factor and retention factor test results.
 - d. Calculations of monthly and annual VOC emissions. Annual emissions shall be calculated monthly as the sum of each consecutive 12 month period.
 - e. Monthly and annual records of pre-expander/dryer hours of operation. Annual hours of operation shall be calculated monthly as the sum of each consecutive 12 month period.

These records shall be available on site for inspection by the DEQ and shall be current for the most recent five (5) years.
(9 VAC 5-80-110)

¹ The permit issued on June 21, 1989, was amended on August 5, 1991 and December 30, 1998.

2. The permittee shall determine compliance with the emission limits established in Condition III.A.1 by calculating the monthly VOC emission as follows:

$$E = \sum_{i=1}^n (W_i \times C_i) / 2000 \times (1 - R)$$

where

- E = VOC emissions in tons per month;
 W_i = The pounds of an individual lot of beads processed in the month;
 C_i = The weight fraction VOC content of the beads for an individual lot;
 R = The weight fraction of VOC retained in the product as approved by the DEQ or determined by retention testing required in Condition III.C.

(9 VAC 5-80-110)

C. Testing

1. Within 60 days of each process or operational change which may affect VOC retention factors for the products, the permittee shall conduct retention testing to determine the weight fraction of VOC retained in the product (R), as used in Condition III.B.2. The testing shall be performed in accordance with South Coast Air Quality Management District (SCAQMD) Test Method 306-91, Analysis of Pentanes in Expandable Styrene Polymers, or other method approved in writing by the Department. A test protocol shall be submitted at least 30 days prior to testing. One copy of the test results shall be submitted to the Director, Valley Region, within 60 days after test completion.
(9 VAC 5-80-110)
2. If testing is conducted in addition to the monitoring specified in this permit, the permittee shall use the following test methods in accordance with procedures approved by the DEQ as follows:

Pollutant	Test Method (40 CFR Part 60, Appendix A)
VOC	EPA Methods 18, 25, or 25a

(9 VAC 5-80-110)

D. Reporting

The permittee shall submit a report with the semi-annual monitoring report required by Condition VI.C.3, documenting:

1. Monthly and annual VOC emissions for the six month reporting period. Annual emissions shall be calculated monthly as the sum of each consecutive 12 month period.

2. Monthly and annual pre-expander hours of operation for the six month reporting period. Annual hours of operation shall be calculated monthly as the sum of each consecutive 12 month period.
3. Monthly and annual amounts of polystyrene beads processed by the pre-expander for the six month reporting period. Annual amounts shall be calculated monthly as the sum of each consecutive 12 month period.
4. Summary of continuing industry research program on the development and/or application of reduced VOC polystyrene blowing agents, and applicable innovative control technologies.
5. Summary of the permittee's use of reduced VOC polystyrene blowing agents including the type, amount, and VOC content of the reduced VOC blowing agents.

(9 VAC 5-80-110 and Part II. Condition 3 of June 21, 1989 Permit¹)

¹ The permit issued on June 21, 1989, was amended on August 5, 1991 and December 30, 1998.

IV. Insignificant Emission Units

The following emission units at the facility are identified in the application as insignificant emission units under 9 VAC 5-80-720:

Emission Unit No.	Emission Unit Description	Citation (9 VAC _)	Pollutant(s) Emitted (9 VAC 5-80-720 B)	Rated Capacity (9 VAC 5-80-720 C)
GT-1	Geotech Binder	5-80-720 B.2	VOC	3000 lbs of bead/hr
RP-1	Roll Laminator	5-80-720 B.2	VOC	28 parts/hr
B-1	NG Fired Boiler	5-80-720 C.2.a	PM ₁₀ , VOC, CO, NO _x , SO ₂	8.369 MMBTU/hr

These emission units are presumed to be in compliance with all requirements of the federal Clean Air Act as may apply. Based on this presumption, no monitoring, recordkeeping, or reporting shall be required for these emission units in accordance with 9 VAC 5-80-110.

V. Permit Shield & Inapplicable Requirements

Compliance with the provisions of this permit shall be deemed compliance with all applicable requirements in effect as of the permit issuance date as identified in this permit. This permit shield covers only those applicable requirements covered by terms and conditions in this permit and the following requirements which have been specifically identified as being not applicable to this permitted facility:

Citation	Title of Citation	Description of Applicability
40 CFR Part 60 Subpart DDD and 9 VAC 5-50-410	Standards of Performance for Volatile Organic Compound Emissions from Polymer Manufacturing Facilities	Applies to the manufacture of polystyrene beads.
40 CFR Part 63 Subpart JJJ and 9 VAC 5-60-100	National Emission Standard for Hazardous Air Pollutants Group IV Polymers and Resins	Applies to the manufacture of polystyrene resin and major sources of hazardous air pollutants.

Nothing in this permit shield shall alter the provisions of §303 of the federal Clean Air Act, including the authority of the administrator under that section, the liability of the owner for any violation of applicable requirements prior to or at the time of permit issuance, or the ability to obtain information by the administrator pursuant to §114 of the federal Clean Air Act, (ii) the Board pursuant to §10.1-1314 or §10.1-1315 of the Virginia Air Pollution Control Law or (iii) the Department pursuant to §10.1-1307.3 of the Virginia Air Pollution Control Law.
(9 VAC 5-80-140)

VI. General Conditions

A. Federal Enforceability

All terms and conditions in this permit are enforceable by the administrator and citizens under the federal Clean Air Act, except those that have been designated as only state-enforceable.

(9 VAC 5-80-110 N)

B. Permit Expiration

This permit has a fixed term of five years. The expiration date shall be the date five years from the date of issuance. Unless the owner submits a timely and complete application for renewal to the Department consistent with the requirements of 9 VAC 5-80-80, the right of the facility to operate shall be terminated upon permit expiration.

1. The owner shall submit an application for renewal at least six months but no earlier than eighteen months prior to the date of permit expiration.
2. If an applicant submits a timely and complete application for an initial permit or renewal under this section, the failure of the source to have a permit or the operation of the source without a permit shall not be a violation of Article 1, Part II of 9 VAC 5 Chapter 80, until the Board takes final action on the application under 9 VAC 5-80-150.
3. No source shall operate after the time that it is required to submit a timely and complete application under subsections C and D of 9 VAC 5-80-80 for a renewal permit, except in compliance with a permit issued under Article 1, Part II of 9 VAC 5 Chapter 80.
4. If an applicant submits a timely and complete application under section 9 VAC 5-80-80 for a permit renewal but the Board fails to issue or deny the renewal permit before the end of the term of the previous permit, (i) the previous permit shall not expire until the renewal permit has been issued or denied and (ii) all the terms and conditions of the previous permit, including any permit shield granted pursuant to 9 VAC 5-80-140, shall remain in effect from the date the application is determined to be complete until the renewal permit is issued or denied.
5. The protection under subsections F 1 and F 5 (ii) of section 9 VAC 5-80-80 F shall cease to apply if, subsequent to the completeness determination made pursuant section 9 VAC 5-80-80 D, the applicant fails to submit by the deadline specified in writing by the Board any additional information identified as being needed to process the application.

(9 VAC 5-80-80 B, C and F, 9 VAC 5-80-110 D and 9 VAC 5-80-170 B)

C. Recordkeeping and Reporting

1. All records of monitoring information maintained to demonstrate compliance with the terms and conditions of this permit shall contain, where applicable, the following:
 - a. The date, place as defined in the permit, and time of sampling or measurements.
 - b. The date(s) analyses were performed.
 - c. The company or entity that performed the analyses.
 - d. The analytical techniques or methods used.
 - e. The results of such analyses.
 - f. The operating conditions existing at the time of sampling or measurement.

(9 VAC 5-80-110 F)

2. Records of all monitoring data and support information shall be retained for at least five years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

(9 VAC 5-80-110 F)

3. The permittee shall submit the results of monitoring contained in any applicable requirement to DEQ no later than **March 1** and **September 1** of each calendar year. This report must be signed by a responsible official, consistent with 9 VAC 5-80-80 G, and shall include:

- a. The time period included in the report. The time periods to be addressed are January 1 to June 30 and July 1 to December 31.
- b. All deviations from permit requirements. For purposes of this permit, deviations include, but are not limited to:

(1) Exceedance of emissions limitations or operational restrictions;

(2) Excursions from control device operating parameter requirements, as documented by continuous emission monitoring, periodic monitoring, or compliance assurance monitoring which indicates an exceedance of emission limitations or operational restrictions; or,

(3) Failure to meet monitoring, recordkeeping, or reporting requirements contained in this permit.

- c. If there were no deviations from permit conditions during the time period, the permittee shall include a statement in the report that “no deviations from permit requirements occurred during this semi-annual reporting period.”

(9 VAC 5-80-110 F)

D. Annual Compliance Certification

Exclusive of any reporting required to assure compliance with the terms and conditions of this permit or as part of a schedule of compliance contained in this permit, the permittee shall submit to EPA and DEQ no later than **March 1** each calendar year a certification of compliance with all terms and conditions of this permit including emission limitation standards or work practices. The compliance certification shall comply with such additional requirements that may be specified pursuant to §114(a)(3) and §504(b) of the federal Clean Air Act. This certification shall be signed by a responsible official, consistent with 9 VAC 5-80-80 G, and shall include:

1. The time period included in the certification. The time period to be addressed is January 1 to December 31.
2. The identification of each term or condition of the permit that is the basis of the certification.
3. The compliance status.
4. Whether compliance was continuous or intermittent, and if not continuous, documentation of each incident of non-compliance.
5. Consistent with subsection 9 VAC 5-80-110 E, the method or methods used for determining the compliance status of the source at the time of certification and over the reporting period.
6. Such other facts as the permit may require to determine the compliance status of the source.

One copy of the annual compliance certification shall be sent to EPA at the following address:

Clean Air Act Title V Compliance Certification (3AP00)
U. S. Environmental Protection Agency, Region III
1650 Arch Street
Philadelphia, PA 19103-2029.

(9 VAC 5-80-110 K.5)

E. Permit Deviation Reporting

The permittee shall notify the Director, Valley Region, within four daytime business hours after discovery of any deviations from permit requirements which may cause excess emissions for more than one hour, including those attributable to upset conditions as may be defined in this permit. In addition, within 14 days of the discovery, the permittee shall provide a written statement explaining the problem, any corrective actions or preventative measures taken, and the estimated duration of the permit deviation. The occurrence should also be reported in the next semi-annual compliance monitoring report pursuant to General Condition VI.C.3. of this permit.

(9 VAC 5-80-110 F.2 and 9 VAC 5-80-250)

F. Failure/Malfunction Reporting

In the event that any affected facility or related air pollution control equipment fails or malfunctions in such a manner that may cause excess emissions for more than one hour, the owner shall, as soon as practicable but no later than four daytime business hours after the malfunction is discovered, notify the Director, Valley Region, by facsimile transmission, telephone or telegraph of such failure or malfunction and shall within 14 days of discovery provide a written statement giving all pertinent facts, including the estimated duration of the breakdown. When the condition causing the failure or malfunction has been corrected and the equipment is again in operation, the owner shall notify the Director, Valley Region.

(9 VAC 5-20-180 C)

G. Severability

The terms of this permit are severable. If any condition, requirement or portion of the permit is held invalid or inapplicable under any circumstance, such invalidity or inapplicability shall not affect or impair the remaining conditions, requirements, or portions of the permit.

(9 VAC 5-80-110 G.1)

H. Duty to Comply

The permittee shall comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the federal Clean Air Act or the Virginia Air Pollution Control Law or both and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or, for denial of a permit renewal application.

(9 VAC 5-80-110 G.2)

I. Need to Halt or Reduce Activity not a Defense

It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

(9 VAC 5-80-110 G.3)

J. Permit Modification

A physical change in, or change in the method of operation of, this stationary source may be subject to permitting under State Regulations 9 VAC 5-80-50, 9 VAC 5-80-1100, 9 VAC 5-80-1790, or 9 VAC 5-80-2000 and may require a permit modification and/or revisions except as may be authorized in any approved alternative operating scenarios. (9 VAC 5-80-190 and 9 VAC 5-80-260)

K. Property Rights

The permit does not convey any property rights of any sort, or any exclusive privilege. (9 VAC 5-80-110 G.5)

L. Duty to Submit Information

1. The permittee shall furnish to the Board, within a reasonable time, any information that the Board may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Board copies of records required to be kept by the permit and, for information claimed to be confidential, the permittee shall furnish such records to the Board along with a claim of confidentiality. (9 VAC 5-80-110 G.6)
2. Any document (including reports) required in a permit condition to be submitted to the Board shall contain a certification by a responsible official that meets the requirements of 9 VAC 5-80-80 G. (9 VAC 5-80-110 K.1)

M. Duty to Pay Permit Fees

The owner of any source for which a permit under 9 VAC 5-80-50 through 9 VAC 5-80-300 was issued shall pay permit fees consistent with the requirements of 9 VAC 5-80-310 through 9 VAC 5-80-350. The actual emissions covered by the permit program fees for the preceding year shall be calculated by the owner and submitted to the Department by April 15 of each year. The calculations and final amount of emissions are subject to verification and final determination by the Department. (9 VAC 5-80-110 H and 9 VAC 5-80-340 C)

N. Fugitive Dust Emission Standards

During the operation of a stationary source or any other building, structure, facility, or installation, no owner or other person shall cause or permit any materials or property to be handled, transported, stored, used, constructed, altered, repaired, or demolished without taking reasonable precautions to prevent particulate matter from becoming airborne. Such reasonable precautions may include, but are not limited to, the following:

1. Use, where possible, of water or chemicals for control of dust in the demolition of existing buildings or structures, construction operations, the grading of roads, or the clearing of land;
2. Application of asphalt, water, or suitable chemicals on dirt roads, materials stockpiles, and other surfaces which may create airborne dust; the paving of roadways and the maintaining of them in a clean condition;
3. Installation and use of hoods, fans, and fabric filters to enclose and vent the handling of dusty material. Adequate containment methods shall be employed during sandblasting or other similar operations;
4. Open equipment for conveying or transporting material likely to create objectionable air pollution when airborne shall be covered or treated in an equally effective manner at all times when in motion; and,
5. The prompt removal of spilled or tracked dirt or other materials from paved streets and of dried sediments resulting from soil erosion.

(9 VAC 5-50-90)

O. Startup, Shutdown, and Malfunction

At all times, including periods of startup, shutdown, soot blowing, and malfunction, owners shall, to the extent practicable, maintain and operate any affected facility including associated air pollution control equipment in a manner consistent with air pollution control practices for minimizing emissions. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the Board, which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source.

(9 VAC 5-50-20 E)

P. Alternative Operating Scenarios

Contemporaneously with making a change between reasonably anticipated operating scenarios identified in this permit, the permittee shall record in a log at the permitted facility a record of the scenario under which it is operating. The permit shield described in 9 VAC 5-80-140 shall extend to all terms and conditions under each such operating scenario. The terms and conditions of each such alternative scenario shall meet all applicable requirements including the requirements of 9 VAC 5 Chapter 80, Article 1.

(9 VAC 5-80-110 J)

Q. Inspection and Entry Requirements

The permittee shall allow DEQ, upon presentation of credentials and other documents as may be required by law, to perform the following:

1. Enter upon the premises where the source is located or emissions-related activity is conducted, or where records must be kept under the terms and conditions of the permit.
2. Have access to and copy, at reasonable times, any records that must be kept under the terms and conditions of the permit.
3. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit.
4. Sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

(9 VAC 5-80-110 K.2)

R. Reopening For Cause

The permit shall be reopened by the Board if additional federal requirements become applicable to a major source with a remaining permit term of three years or more. Such reopening shall be completed no later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to 9 VAC 5-80-80 F.

1. The permit shall be reopened if the Board or the administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.
2. The permit shall be reopened if the administrator or the Board determines that the permit must be revised or revoked to assure compliance with the applicable requirements.
3. The permit shall not be reopened by the Board if additional applicable state requirements become applicable to a major source prior to the expiration date established under 9 VAC 5-80-110 D.

(9 VAC 5-80-110 L)

S. Permit Availability

Within five days after receipt of the issued permit, the permittee shall maintain the permit on the premises for which the permit has been issued and shall make the permit immediately available to DEQ upon request.

(9 VAC 5-80-150 E)

T. Transfer of Permits

1. No person shall transfer a permit from one location to another, unless authorized under 9 VAC 5-80-130, or from one piece of equipment to another.
(9 VAC 5-80-160)
2. In the case of a transfer of ownership of a stationary source, the new owner shall comply with any current permit issued to the previous owner. The new owner shall notify the Board of the change in ownership within 30 days of the transfer and shall comply with the requirements of 9 VAC 5-80-200.
(9 VAC 5-80-160)
3. In the case of a name change of a stationary source, the owner shall comply with any current permit issued under the previous source name. The owner shall notify the Board of the change in source name within 30 days of the name change and shall comply with the requirements of 9 VAC 5-80-200.
(9 VAC 5-80-160)

U. Malfunction as an Affirmative Defense

1. A malfunction constitutes an affirmative defense to an action brought for noncompliance with technology-based emission limitations if the requirements of paragraph 2 of this condition are met.
2. The affirmative defense of malfunction shall be demonstrated by the permittee through properly signed, contemporaneous operating logs, or other relevant evidence that show the following:
 - a. A malfunction occurred and the permittee can identify the cause or causes of the malfunction.
 - b. The permitted facility was at the time being properly operated.
 - c. During the period of the malfunction the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit.
 - d. The permittee notified the board of the malfunction within two working days following the time when the emission limitations were exceeded due to the malfunction. This notification shall include a description of the malfunction, any steps taken to mitigate emissions, and corrective actions taken. The notification may be delivered either orally or in writing. The notification may be delivered by electronic mail, facsimile transmission, telephone, or any other method that allows the permittee to comply with the deadline. This notification fulfills the requirements of 9 VAC 5-80-110 F 2 b to report promptly deviations from permit

requirements. This notification does not release the permittee from the malfunction reporting requirement under 9 VAC 5-20-180 C.

3. In any enforcement proceeding, the permittee seeking to establish the occurrence of a malfunction shall have the burden of proof.
4. The provisions of this section are in addition to any malfunction, emergency or upset provision contained in any applicable requirement.

(9 VAC 5-80-250)

V. Permit Revocation or Termination for Cause

A permit may be revoked or terminated prior to its expiration date if the owner knowingly makes material misstatements in the permit application or any amendments thereto or if the permittee violates, fails, neglects or refuses to comply with the terms or conditions of the permit, any applicable requirements, or the applicable provisions of 9 VAC 5 Chapter 80 Article 1. The Board may suspend, under such conditions and for such period of time as the Board may prescribe any permit for any of the grounds for revocation or termination or for any other violations of these regulations.

(9 VAC 5-80-190 C and 9 VAC 5-80-260)

W. Duty to Supplement or Correct Application

Any applicant who fails to submit any relevant facts or who has submitted incorrect information in a permit application shall, upon becoming aware of such failure or incorrect submittal, promptly submit such supplementary facts or corrections. An applicant shall also provide additional information as necessary to address any requirements that become applicable to the source after the date a complete application was filed but prior to release of a draft permit.

(9 VAC 5-80-80 E)

X. Stratospheric Ozone Protection

If the permittee handles or emits one or more Class I or II substances subject to a standard promulgated under or established by Title VI (Stratospheric Ozone Protection) of the federal Clean Air Act, the permittee shall comply with all applicable sections of 40 CFR Part 82, Subparts A to F.

(40 CFR Part 82, Subparts A-F)

Y. Accidental Release Prevention

If the permittee has more, or will have more than a threshold quantity of a regulated substance in a process, as determined by 40 CFR 68.115, the permittee shall comply with the requirements of 40 CFR Part 68.

(40 CFR Part 68)

Z. Changes to Permits for Emissions Trading

No permit revision shall be required under any federally approved economic incentives, marketable permits, emissions trading and other similar programs or processes for changes that are provided for in this permit.

(9 VAC 5-80-110 I)

AA. Emissions Trading

Where the trading of emissions increases and decreases within the permitted facility is to occur within the context of this permit and to the extent that the regulations provide for trading such increases and decreases without a case-by-case approval of each emissions trade:

1. All terms and conditions required under 9 VAC 5-80-110, except subsection N, shall be included to determine compliance.
2. The permit shield described in 9 VAC 5-80-140 shall extend to all terms and conditions that allow such increases and decreases in emissions.
3. The owner shall meet all applicable requirements including the requirements of 9 VAC 5-80-50 through 9 VAC 5-80-300.

(9 VAC 5-80-110 I)